



Service Delivery in Motion (Pty) Ltd



P RUDOLPH ENTERPRISES













IMPORT & EXPORT COMPANY







Reg. No: 2012/041497/07 Vat Number: 4940272943 Import/Export Code 20300749 Reg. No: CK 2003/082745/03

Postnet Suite 12 Private Bag X3 Glosderry 7702; Website:www.off-med.co.za





Email:peter@off-med.co.za Mobile: +2782 466 8427 Email:yusuf@sgsglobal.co.za Mobile: +2782 519 8634








No.	Product	Specifications	Picture	Packing size
1	N95 Medical Class Certificate: CE/FDA CE EN14683:2019 GB19083 -2010	N95 4ply Particulate Respirator 15.5*10.5cm Materials: Non-woven Fabric/Melt-blown Fabric/PP Certificate: CE/FDA CE EN14683:2019 GB19083-2010 20pcs/box, 400pcs/box 62*29.5*28.5cm 4.5kg		400pcs/box
2	3D medical mask Type IIR Certificate: CE/FDA CE EN14683:2019 GB19083 -2010	N95/FFP3 4ply Particulate Respirator 15.5*10.5cm Materials: Non-woven Fabric/Melt-blown Fabric/PP Certificate: CE/FDA CE EN14683:2019 GB19083-2010 50pcs/box1000pcs/box 50*42*32cm 4.84kg		1000pcs/box
3	FFP2 NR CE GB2626-2006 CE EN149: 2001+A12009	FFP2 NR 4ply Particulate Respirator 15.5*10.5cm Materials: Non-woven Fabric/Melt-blown Fabric/PP Certificate: CE GB2626-2006 CE EN149: 2001+A12009 20pcs/box, 400pcs/box 61*29*42cm 7kg		400pcs/box
4	FFP2 NR with Valve CE GB2626-2006 CE EN149: 2001+A12009	FFP2 NR 4ply Particulate Respirator with Valve 15.5*10.5cm Materials: Non-woven Fabric/Melt-blown Fabric/PP Certificate: CE GB2626-2006 CE EN149: 2001+A12009 20pcs/box, 400pcs/box 61*29*48cm 7kg		400pcs/box
5	N95/FFP3 Certificate: CE CE EN149: 2001+A12009 GB2626-2016	N95/FFP3 5ply Particulate Respirator 15.5*10.5cm Materials: Non-woven Fabric/Melt-blown Fabric/PP Certificate: CE GB2626-2006 CE EN149: 2001+A12009 1pcs/bag,10pcs/box, 500pcs/box 73.5*42.5*32.5cm 6.65kg		500pcs/box
6	KN95 Certificate: CE, FDA CE EN149: 2001+A12009 GB2626-2016	KN95 Particulate Respirator without Valve 15.5*10.5cm Certificate: CE, FDA Materials: Non-woven Fabric/Melt-blown Fabric/PP CE EN149: 2001+A12009 GB2626—2006 Net. Weight: 8kg Gross Weight: 10kg Carton size: 70*37*59cm Packing: 10pcs/box, 1000pcs/carton		1000pcs/carton













7	KN95 CE EN149: 2001+A12009 GB2626-2006	15.5*10.5cm Particulate Respirator with Valve 4ply 4 ply BFE95 >Easy Breathing/Speaking >Comfortable Nose Foam >Adjustable Nose-piece Certificate: CE Materials: Non-woven Fabric/Melt-blown Fabric/PP 1pc/bag, 50pcs/box, 1200pcs/carton CE EN149: 2001+A12009 GB2626-2006		1200pcs/carton
8	KN95 with valve Certificate: CE, FDA CE EN149: 2001+A12009 GB2626-2006	15.5*10.5cm Particulate Respirator with Valve 4ply >Easy Breathing/Speaking >Comfortable Nose Foam >Adjustable Nose-piece Certificate: CE, FDA Materials: Non-woven Fabric/Melt-blown Fabric/PP CE EN149: 2001+A12009 GB2626-2006 Net. Weight: 6.8kg Gross Weight: 8.3kg Carton size: 66.5*42.5*36cm Packing: 1pc/bag, 25pcs/box, 1000pcs/carton		1000pcs/carton
9	KN95 Certificate: CE, FDA CE EN149: 2001+A12009 GB2626-2006	15.5*10.5cm N95/FFP2 5ply Certificate: CE &FDA & Niosh Materials: Non-woven Fabric/Melt-blown Fabric/PP CE EN149: 2001+A12009 GB2626-2006 Net. Weight: 10kg Gross Weight: 11kg Carton size: 30*30*30cm 1pc/bag, 50pcs/box, 1350pcs/carton		1350pcs/carton
10	Protective mask CE B2626-2006	S+M+S: 25g+25g+25g 3ply BFE 95 50pcs/box, 3000pcs/carton		3000pcs/carton
11	Disposable Medical mask CE for Children and Adult YY/T0969- 2013	S+M+S: 25g+25g+25g 3ply BFE 99		50pcs/box
12	Surgical Mask CE YY0469-2011	Anti-blood splash S+M+S: 25g+25g+25g 3ply BFE 99		50pcs/box
13	Oximeter CE	Adult type/Children Type		50pcs/box
14	Oximeter CE	Adult type		carton 170pcs/
15	Infrared Thermometer Non-Contact with CE	3 color background Lights		100pcs/Ctn
16		3 color background lights		100pcs/Ctn











17		3 color background lights		100pcs/Ctn
18	Thermometer CE	3 color background lights Object/Room mode modes: Forehead mode; Ear mode; Baby Mode;		100pcs/Ctn
19		Dimensions: 3.8kg 42*38*22cm Work Mode : CPAP, S, T , S/T Mode of Operation : Continuous CHH-B19		1unit/box
20	Bi-PAP CE	Weight: 1.5 kg, or 2.5 kg (with humidifier) Dimensions: 170*180*118 mm, or 290*180*134 AC Power Consumption : 100 – 240 V SD Card : SD card can record patient data and fault Work Mode : CPAP, S, AutoS, AutoCPAP, S/T, T Mode of Operation : Continuous CHH-Y25/30		1unit/box
21	Emergency Department, ICU for Ambulance, Ward, HFS3100A(new) CE	bag pipe, laryngoscope, oxygen supply hose, portable suction device, suction union valve, face mask, mouth opener oxygen cylinder(oxygen refill fitting, wrench),patient		1unit/box
22	for ICU use CHH-WD1	Option: Nebulizer Dimension: 540x500x575mm Weight: 55Kg Power: 500W Noise: < 50 dB(a) ◆ Flow: 50L/min Air Compressor PSV Pressure: 0~3.5KPa PEEP:0~2.0KPa I:E Ratio: 3:1~1:3 Breath Frequency: 2~60BPM Tidal Volume: 50~1500ml Operation Method: Knob and Keys ◆ Display: 10.4" TFT color screen PSV, MMV, PEEP, CPAP Mode: A/C, A/C+SIGH, SIMV, SIMV+PSV, PCV,		1unit/box



23	without compressor) CHH-W1	<p>Apnea Alarm and Setting: 3~12 S MV Lower Limit: 2.0~20L/min MV Upper Limit: 4.0~40L/min Oxygen Concentration Lower Limit:30%~100% Oxygen Concentration Upper Limit:30%~100% PEEP Lower Limit: 0~2.0KPa PEEP Upper Limit: 0.5~3.0KPa Peak Pressure Lower Limit: 0~3.0KPa Peak Pressure Upper Limit: 0.5~7.0KPa Breath Frequency Lower Limit: 2~60bpm Breath Frequency Upper Limit: 5~100bpm Tidal Volume Lower Limit: 20~2000ml ◆ Tidal Volume Upper Limit: 100~2000ml Alarm parameters and alarm setting: PSV Pressure: 0~3.5KPa PEEP:0~2.0KPa I:E Ratio: 3:1~1:3 Breath Frequency: 2~60BPM Tidal Volume: 50~1500ml Operation Method: Knob and Keys ◆ Display: 10.4" TFT color screen PSV, Manual, PEEP, CPAP Mode: A/C, A/C+SIGH, SIMV, SIMV+PSV, PCV,</p>		1unit/box
24	Medical air-compressing nebulizer CE	<p>1: Input:AC220V/50HZ 110V/60HZ 2: Power Consumption: 150VA 3: Medication Capacity: 8ml 4: Particle Size: Respirable Fraction 0.5 to 5µm 80% 5: MMAD: 2.78µm 6: Average Nebulization Rate: ≤0.2ml/min 7: Noise Level: Below 58 dBA 8: Compressor Pressure Range:2.5- 3.1 bar 9: Operation Pressure Range: 10-16 Psi(0.69-1.1 bar) 10: Liter Flow Range: 6~ 10 lpm 11:Operation Temperature Range: 5°C--40°C 12:Operation Humidity Range: 10 to 95% RH 13:Storage Temperature Range:- 25°C--70°C 14:Storage Humidity Range: 10 to 95%RH 15:Dimensions: 220*156*101L*W*H)MM 16.Weight: 1.52kg</p>		
25	5L Medical Oxygen Concentrator Nebulization & Purity monitoring g type CE	<p>Voltage Option: 110~130V /220~230V 50HZ Power Consumption: : 270W in average, less than 320VA in highest level Size : 305×300×535(L×W×H)mm Weight : 16 kg Nozzle : 1 Output Pressure : 8.5-13 psi The oxygen concentration ≥90% Noise: ≤48dB (A) Oxygen Flow Rate :(1~5) L/min. Within (1~5)L/min</p>		
26	Disposable Protective Gowns (A)	<p>Size: S/M/L/XL/XXL/XXXL Weight: 50-60gsm Color: White Material: PP+PE Membrane (A) Non-Sterile Disposable Protective Gowns</p>		50pcs/Ctn

27	Disposable Medical Isolation Gowns (B) Standard:GB 19082-2009 CE/FDA	/XL(175-190cm) Size: L(160-175cm) Weight: 50-60gsm Color: White Material: PP+PE Membrane Disposable Medical Isolation Gowns (B) Non-Sterile		100pcs/Ctn
28	Disposable Medical Protective Gowns (C) GB 19082-2009 CE/FDA	Size: S/M/L/XL/XXL/XXXL Weight: 50-60gsm Color: White Material: PP+PE Membrane Disposable Medical Protective Gowns (C) Non-Sterile		50pcs/Ctn
29	Protective Gowns (D) Disposable Medical GB 19082-2009 CE/FDA	Size: S/M/L/XL/XXL/XXXL Weight: 50-60gsm Color: White Material: PP+PE Membrane Disposable Medical Protective Gowns (D) Sterile		50pcs/Ctn
30	Body bag CE	6. 1 pc care label 5. Individual clear polybag packing 4. #5 Zipper, C shaped, 2 zipper sliders		15pcs/carton
31		3. Handle: 3.8CM webbing, black 80x21 5CM 1. Material: PEVA, 0.21mm, WHITE or Black		
32		6.1 pc care label 5. Individual clear polybag packing 4. #5 Zipper, C shaped, 2 zipper sliders		
33		3. Handle: 3.8CM webbing, black 90X228CM 1. Material: PEVA, 0.21mm, WHITE or Black		
34	Novel Corona Virus Igg/Igm test Kit 2019-COVID with CE	Testing method(s). 19) IgG/Igm Rapid Test must be confirmed with alternative reactive specimen with the Novel Coronavirus (COVID-19) in the diagnosis of infection with Novel Coronavirus. Any This test is intended to be used as a screening test and as an or plasma. of Novel Coronavirus(COVID-19) in human whole blood, serum for the qualitative detection and differentiation of IgG and IgM (Whole Blood/Serum/Plasma) is a lateral flow immunoassay The Novel Coronavirus(COVID-19)IgG/IgM Rapid Test Specimens: Whole Blood/Serum/Plasma		25kits/box
35	Novel Corona Virus Igg/Igm test Kit 2019-COVID CE	Testing method(s). 19) IgG/IgM Rapid Test must be confirmed with alternative reactive specimen with the Novel Coronavirus (COVID-19) in the diagnosis of infection with Novel Coronavirus. Any This test is intended to be used as a screening test and or plasma. of Novel Coronavirus(COVID-19) in human wholeblood, serum for the qualitative detection and differentiation of IgG and IgM (Whole Blood/Serum/Plasma) is a lateral flow immunoassay The Novel Coronavirus(COVID-19)IgG/IgM Rapid Test Specimens: Whole Blood/Serum/Plasma		40pcs/box
36	medium transport swab kit	with Swab/Keeping liquid/transport tube		100pcs/pack , 20pack/carton

37	medium transport swab kit CE	with Swab/Keeping liquid/transport tube		100pcs/pack , 20pack/carton
38	Double-sided Anti-Frog Face Shield CE/FDA	anti-sun, anti-dust Functions: Anti-spray, anti-oil splash, anti-wind, Size: 29*25cm HD PET Double-sided Anti-Frog Face Shield Safe and light High temperature resistance, Splash resistance HD transparent, anti-halo and anti-frog Double-sided anti-fog, long-lasting		200pcs/Ctn
39	Safety Glasses CE/FDA	scratch anti-liquid splash Function: Anti-fog anti-shock anti-ultraviolet anti-sand anti- Box: 12pairs/box, 240pcs/carton Size 187x83(mm) Weight/Pair: 68g Materials: Medical PVC+PE PVC Safety Goggles (4 Indirect vents)		150pcs/Ctn
40	Nitrile gloves FDA, ISO 14001 GB10213-2006	100pcs/carton 10boxes/carton S/M/L/XL/XXL Non-sterile, Powder free Nitrile gloves with 3.5g, 4.5g, 5g		1000pcs/carton
41	PVC gloves FDA, ISO 14001 GB10213-2006	S/M/L/XL/XXL Non-sterile, Powder free Vinyl gloves with 3.5g, 4.5g, 5g		
42	Medical 70% Alcohol	80ml		112bottles/Ctn
43		50ml		200bottles/Ctn
44	Disposable hand sanitizer	80ml		300bottles/Ctn
45		280ml		25bottles/Ctn
46	Liquid soap dispenser	Wall-mounted Elbow Pressure Liquid soap dispenser Aluminum Alloy + Stainless Steel 2000ML Each drop: 1-6ML specifications: 95 * 140 * 380 mm 10PCS / CTN Carton 51.5 * 31 * 45CM		10boxes/Ctn
47	Mask UV Sterilization	2000pcs/Hour 2meters	 Face Mask UV Sterilizer	3.82CBM
48		4000pcs/Hour 4meters		
51		6000pcs/Hour 6meters		
52		8000pcs/Hour 8meters		
53	Medical Mobile UV Lamp Trolley CE	uv lamp: 30W*4 Timer: 0-1440min infrared sensing Material stainless steel		1set/CTN
54		Application areas: 20(m2) installation way: Table remote control: yes Effective filter: no		6sets/CTN

55		Application areas: 100 (m2) installation way: Wall mounted remote control: yes Effective filter: yes		1set/CTN
56		Application areas: 120 (m2) installation way: Wall mounted remote control: yes Effective filter: Yes		1set/CTN
57		Application areas:120 (m2) installation way: Wall mounted remote control: yes Effective filter: yes		1set/CTN
58	Covid 19 coronavirus thermal fever scanner thermal camera fever detector	Business, government agencies, mobile, flexible, less laptop		departments government for airport, or commercial places
59		Customs Metro Station etc. Long-term monitoring		
60		Business, government agencies, mobile, flexible, less laptop		
61	Sanitizing Cabinet CE	1. Face recognition, external personnel screening and file storage 2. Infrared human body temperature measurement and sound-light alarm Smart display Smart spray disinfection for hand washing		
62	0.65mm PVC Disinfection Tunnel CE	*Use it at front of the entrance. *People finish the disinfection inside of tunnel. *Person goes inside one by one. *Make disinfection for people clothes, hand, shoes. Material: 0.65mm 1000D PVC Tarpaulin,18OZ/Y2 the best quality Plato brand material Tensile strength : Warp2654.5N/5cm Wef2358 .8N/5cm Tear strength: Warp391.0N Wef368.5N Standards: CE&UL&6P\SGS & En71 & Lead free Temperature resistance: -15°Cto75°C Features: Environmental, Recyclable, Anti-aging and so on.	  	
62	Disinfection Nubilizer CE	Disinfection machine: 1)environmental and equipment sterilization 2)air sterilization and humidification Electricity :6A Net weight:17KG Recharge hour:5hours Power:350 W max		

